

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/614,546	07/03/2003	Howard V. Rowe	6228-A	5807	
23386	7590 . 11/15/2005		EXAM	INER	
MYERS DAWES ANDRAS & SHERMAN, LLP			FIDEI, I	FIDEI, DAVID	
SUITE 1150	ARTHUR BLVD.,		ART UNIT	PAPER NUMBER	
IRVINE, CA 92612			3728		
			DATE MAILED: 11/15/2005	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

		$\boldsymbol{\omega}$			
	Application No.	Applicant(s) :			
	10/614,546	ROWE ET AL.			
Office Action Summary	Examiner	Art Unit			
	David T. Fidei	3728			
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet wi	th the correspondence address			
A SHORTENED STATUTORY PERIOD FOR R WHICHEVER IS LONGER, FROM THE MAILIN  - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communicatic  - If NO period for reply is specified above, the maximum statutory of the period for reply within the set or extended period for reply will be any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	IG DATE OF THIS COMMUNIC FR 1.136(a). In no event, however, may a roon. Deriod will apply and will expire SIX (6) MON statute, cause the application to become AB	CATION.  eply be timely filed  ITHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on	<u>15 June 2005</u> .				
2a) This action is <b>FINAL</b> . 2b) ⊠	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.				
3) Since this application is in condition for all	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice un	der <i>Ex parte Quayle</i> , 1935 C.D	. 11, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) 1-35 is/are pending in the application	ation.	·			
4a) Of the above claim(s) 9-26 is/are without		•			
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-8 and 27-35</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction a	and/or election requirement.				
Application Papers					
9) The specification is objected to by the Exa	miner.				
10)⊠ The drawing(s) filed on <u>03 November 2003</u>		objected to by the Examiner.			
Applicant may not request that any objection to		•			
Replacement drawing sheet(s) including the co					
11)☐ The oath or declaration is objected to by the	ne Examiner. Note the attached	Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) ☐ Acknowledgment is made of a claim for for a) ☐ All b) ☐ Some * c) ☐ None of:	reign priority under 35 U.S.C. §	119(a)-(d) or (f).			
1. Certified copies of the priority docur	ments have been received.				
2. Certified copies of the priority docur	•	· · · · · · · · · · · · · · · · · · ·			
3. Copies of the certified copies of the	•	received in this National Stage			
application from the International Br	` ' ' '				
* See the attached detailed Office action for a	a list of the certified copies not i	received.			
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) Interview S	ummary (PTO-413)			
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-94)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/S</li> </ul>		)/Mail Date formal Patent Application (PTO-152)			
Paper No(s)/Mail Date <u>1/26/04 &amp; 6/14/04</u> .	6) Other:	The state of the s			

Application/Control Number: 10/614,546 Page 2

Art Unit: 3728

#### **DETAILED ACTION**

#### Election/Restrictions

1. Claims 9-26 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on June 15, 2005.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1, 2, 7, 27-30, 32 and 33-35 are rejected under 35 U.S.C. 102(b) as being anticipated by Munsch (Patent no. 5,840,151). A package is comprising an elongate tube having shown in figures 2 and 4 having walls defining a lumen between a first end and a second end of the tube. The tube is formed into a coiled configuration with a first disposed adjacent portions welded together at 22 sufficient strength to prevent peeling the first coiled portion from the second coiled portion to maintain the coiled configuration of the tube, see col. 1, lines 10-24.

As to the language o the package "for an elongate surgical device", in order to further limit the claim there must be some distinction based upon the intended use recited. "However, in apparatus, article, and composition claims, intended use must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art, see M.P.E.P. § 2111.02 THE INTENDED USE MAY FURTHER LIMIT THE CLAIM IF IT DOES MORE THAN MERELY STATE PURPOSE OR INTENDED USE. The examiner can see no structural differences between the claimed invention and the prior art based upon the intended use recited.

As to claim 7 and 8, fitting 44 is a retaining accessory to the extent claimed

Art Unit: 3728

As to claims 28-30, structures 22 form a separate bridge bond, composed of a common material, wherein the first coiled portion and the second coiled portion are disposed along a common plane.

As to claims 33-35, a first and second tubes are defined by members or tubes 12a, 12b in figure 2.

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 3, 7, 8 and 31 rejected under 35 U.S.C. 103(a) as being unpatentable over Munsch (Patent no. 5,840,151) as applied to claims 1, 2, 27-30 and 32 above, and further in view of Yasha-Heifetz (Patent no. 3,312,579). The difference between the claimed subject matter and Munsch resides in the weld being a single continuous retaining the coils in stacked relationship. It is noted in figure 10 of Munsch there is disclosed an embodiment where the tube is formed into a stack of coils.

Yasha-Heifetz discloses that it is well known in the art to form tubes continuously bonded together as shown in figures 1 and 2, and described in col. 3, lines 6-10. It would have been obvious to one of ordinary skill in the art to modify Munsch by forming as continuous weld as is known in the art and suggested by Yasha-Heifetz, in order to more securely united structure.

As to claims 7 and 8, the continuous weld forms a retaining accessory to the extent claimed that is composed of a common material.

Application/Control Number: 10/614,546 Page 4

Art Unit: 3728

6. Claim 8 is rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Munsch (Patent no. 5,840,151). It appears the Y-shaped fitting 44 is composed of a common material as that of any tube 12, however to the extent that it is not it would have been obvious to one having ordinary skill in the art at the time the invention was made to, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice, see § M.P.E.P. 2144.06.

7. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over the prior art as applied to claim 2 above, and further in view of Jaeschke et al (Patent no. 4,332,322). Jaeschke et al teaches a backing card for "securing a coil of a plastic tubing", see col. 1, line 6 and figure 3. A container thus formed may be completed and turned into a sterile package by wrapping with thermoplastic sheet, see col. 3, lines 33-36. The material of the card appear to be common to the plastic tubing as the covering may constitute a thermoplastic material to resist tearing, col. 1, lines 61-63. It would have been obvious to one of ordinary skill in the art to provide the tubing of Munsch with a backing card in a sterilizable pouch as taught by Jaeschke et al, in order to provide a package for dispersion of the devices to hospitals or clinics.

## REPLY BY APPLICANT OR PATENT OWNER TO THIS OFFICE ACTION

8. "In order to be entitled to reconsideration or further examination, the applicant or patent owner must reply to every ground of objection and rejection in this Office action. The reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references. The applicant 's or patent owner 's reply must appear throughout to be a bona fide attempt to advance the application or the reexamination proceeding to final action. A general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references does not comply with the requirements of this section.

Application/Control Number: 10/614,546 Page 5

Art Unit: 3728

The reply must be reduced to writing (emphasis added)", see 37 CFR 1.111 (b) & (c), M.P.E.P. 714.02.

Pointing out specific distinctions means clearly indicating in the written response what features/elements or distinctions have been added to the claim/claims, where support is found in the specification for such recitations and how these features are not shown, taught, obvious or inherent in the prior art.

If no amendments are made to claims as applicant or patent owner believes the claims are patentable without further modification, the reply must distinctly and specifically point out the supposed errors in the examiner 's action and must respond to every ground of objection and rejection in the prior Office Action in the same vain as given above, 37 CFR 1.111 (b) & (c), M.P.E.P. 714.02.

The examiner also points out, due to the change in practice as affecting final rejections, older decisions on questions of prematureness of final rejection or admission of subsequent amendments do not necessarily reflect present practice. "Under present practice, second or any subsequent actions on the merits shall be final, except where the examiner introduces a new ground of rejection that is neither necessitated by applicant's amendment of the claims nor based on information submitted in an information disclosure statement filed during the period set forth in 37 CFR 1.97(c)" (emphasis mine), see MPEP 706.07(a).

# Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David T. Fidei whose telephone number is (571) 272-4553. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on (571) 272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Pavid T. Fider Primary Examiner Art Unit 3728

dtf November 12, 2005